		143 Hardi		lerwood En Bellmawr, New Jersey							31-7124								
				Chain-of-	Cust	ody	Fori	m											
Project Name						-						Analy	rsis						
Project Manager	Project/Que	ject/Quote #			Turn Around Time: □ 1 Week □ 3 Days □ 2 Days □ 1 Day														
Company												SS		يه		* Specify	Sieve Si	izes	
Address						ther*	M 6							tent 16)		2" []	1/2"		
					1 (I-5	Ō.	AST)155	ter)-42	lity 2-50	Lin 0-43	oil ()-18	Con)-22		1 1/2"	3/8"		
Phone #					ation	tor (Proctor (ASTM D1557)	Hydrometer (ASTM D-422)	Permeability (ASTM D-5084)	Atterberg Limits (ASTM D-4318)	ied S I'MD	Lab CBR (ASTM D-1883)	ture IM I		1" 🗆	#4			
Email Address:					Gradation (I-5)	Gradation (Other*)	Proctor (ASTM 698)	Proctor (ASTM	Hydr (AS)	Perm (AS7	Atter (AS7	Unif (AST	Lab (AS7	Moisture Content (ASTM D-2216)		3/4" □	#8 🗆	#200	
Client Sample ID	Lab ID	San Date	npling Time	# of Containers												Other I	nformatio	n	
•																			
					-										+				
					-														
					-														
Sample Information Container Type: □ Jar □ Bucket □ Other □ Bag (Size:			Invoice Information					For Lab Use Only											
		P.O. #																	
Volume:	Bill To:																		
Notes:																			
Relinquished By:	Received I	By:	Relinquished By: Signature				eceiv	eceived By:			Relinquished By: Signature				Re	Received By:			
Signature	Signature				Signa	ature									Sign	Signature			
Printed Name	Printed Name		Printed Name		Print	ed Nai	me	ne			Printed Name					Printed Name			
Firm	Firm		Firm								Firm					Firm			
Date/Time	Date/Time		Date/Time			Date/Time				Date/Time					Date/Time				
			-											_					

[♣] If moisture content analysis is selected, samples are be transported to the UET laboratory in a sealed container and tested immediately upon arrival.